



ZPMV2.E141015 Wiring, Printed - Component

For enhanced search functionality, please visit UL's [iQ™ Family of Databases](#).

Click on a product designation for complete information.

[Page Bottom](#)

Wiring, Printed - Component

[See General Information for Wiring, Printed - Component](#)

HMP HEIDENHAIN - MICROPRINT GMBH

E141015


RHINSTRASSE 134

12681 BERLIN-MARZAHN, GERMANY

Type	Cond Width		Cond	SS/ DS/ DSO	Max Area Diam mm(in)	Solder		Max Oper Temp C		Meets UL796 Class DSR	C T I
	Min mm(in)	Edge mm(in)				Thk mic(mil)	Limits C	sec	Flame		
Multilayer printed wiring boards.											
B1	0.08 (0.003)	0.23 (0.009)	16.5 (0.65) Int:99	DS	50.8 (2.0)	260	20	110	V-0	All	-
B5	0.13 (0.005)	0.38 (0.015)	16.5 (0.65)	DS	50.8 (2.0)	260	20	120	V-0	All	-
B5A	0.13 (0.005)	0.38 (0.015)	16.5 (0.65)	DS	12.7 (0.5)	260	20	120	V-0	All	-
B8	0.08 (0.003)	0.10 (0.004)	17 (0.67)	DS	50.8 (2.0)	288	20	130	V-0	All	*
B8<	0.08 (0.003)	0.10 (0.004)	17 (0.67) Int:68	DS	50.8 (2.0)	288	20	130	V-1	All	2
B9	0.1 (0.004)	0.1 (0.004)	17 (0.67) Int:100	DS	50.8 (2.0)	260	20	130	V-0	All	-
Single layer printed wiring boards.											
B3	0.08 (0.003)	0.23 (0.009)	16.5 (0.65)	DS	101.3 (4.0)	260	20	110	V-0	▲	*
B6	0.13 (0.005)	0.38 (0.015)	16.5 (0.65)	DS	101.5 (4.0)	260	20	120	V-0	▲	*
B6A	0.13 (0.005)	0.38 (0.015)	16.5 (0.65)	DS	12.7 (0.5)	260	20	120	V-0	All	*
B7	0.08 (0.003)	0.10 (0.004)	17 (0.67)	DS	50.8 (2.0)	288	20	130	V-0	All	*
B7<	0.08 (0.003)	0.10 (0.004)	0.17 (0.01)	DS	50.8 (2.0)	288	20	130	V-1	All	2

* - Various CTI's, may be marked on board.



Marking: Company name or trademark  or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

Last Updated on 2015-02-21

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".